

# PRINTER RUSH

(PTO ASSISTANCE)

Application: 10562818

Examiner: BUCK

GAU: 3671

From: Milton Williams

Location: IDC

Date: 10/20/2009

Tracking #:    Week Date: 10/12/2009

<u>DOC CODE</u>	<u>DOC DATE</u>	<u>MISCELLANEOUS</u>
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW/FWCLM		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input checked="" type="checkbox"/> Other
<input type="checkbox"/> DRW		Attn:
<input checked="" type="checkbox"/> OATH	<u>12/30/2005</u>	
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

**[RUSH] Message:**

THE NUMBER OF INVENTORS ON THE OATH AND BIB DISAGREES WITH WHAT APPEARS ON THE ADS (ADS 12/30/05). PLEASE ADVISE.  
THANKS

**[XRUSH] Response:**

Please follow according to the OATH (2 inventors) /mr/

Initials: \_\_\_\_\_

Examiner: PUBS contacts - for DESIGNS: Don Fairchild, 703-756-1566; for ALL OTHER files: Bernadette Queen, 703-756-1565.

NOTE: This form will be included as part of the official USPTO record with the response document coded as XRUSH.